



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Dec. 23, 1911—Continued.

Cities.	Population United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.	14,817	4									3			
Beaver Falls, Pa.	12,191	3	7	2			1						7	1
Bennington, Vt.		2												
Braddock, Pa.	19,957	6	2				2							
Butler, Pa.	20,782	6	2											
Cambridge, Ohio.	11,327	4										2	1	
Camden, S. C.		3												
Carbondale, Pa.	17,040	1	2											
Clinton, Mass.	13,075	2												
Coffeyville, Kans.	12,687						2						1	
Columbus, Ga.	20,554	5												
Concord, N. H.	21,497	8										1		
Cumberland, Md.	21,839	9	1								2		7	3
Dunkirk, N. Y.		0												
Galesburg, Ill.	22,089	2					1							
Harrison, N. J.	14,498	4	1						1					
Hyde Park, Mass.	15,507	2					2							
Kearny, N. J.	18,659	3	1		2						2		1	
Kokomo, Ind.	17,012	12							4					
La Fayette, Ind.	20,081	5			1							3		
Lebanon, Pa.	19,240		4								1		2	
Manistee, Mich.	12,381		2	1			14							
Marinette, Wis.	14,610	2			9							1	2	
Marlboro, Mass.	14,579	3												
Massillon, Ohio.	13,879	0	2				1							
Medford, Mass.	23,150	5	3	1								1		
Melrose, Mass.	15,715	8			1							1		
Moline, Ill.	24,199	9	5									1	1	
Mont Clair, N. J.	21,150	3	1								2			
Morristown, N. J.	12,507	3			1		1				1		2	
Nanticoke, Pa.	18,857	5	1		24									
Newburyport, Mass.	19,240	4												1
North Adams, Mass.	22,012	5												
Northampton, Mass.	19,431	3												
Ottumwa, Iowa.	22,012	5	1	1			1				2	1	1	
Peekskill, N. Y.		3									1			
Plainfield, N. J.											1	1		
Pottstown, Pa.	22,550	4			1		1				2			
Saratoga Springs, N. Y.		13										2		
Saratoga Springs, N. Y.		5												
South Bethlehem, Pa.	19,973	7			1							1		
Steelton, Pa.	14,246	1	10	1					1					
Wilksburg, Pa.	18,924	4	1				3				2	1		
Woburn, Mass.	15,308	3					2							

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
OF THE UNITED STATES (Untabulated).**

FLORIDA.—Week ended December 23, 1911. Reports to the State board of health show diphtheria present in 5 localities with 9 cases, malaria in 3 localities with 8 cases, smallpox in 1 county (Sumter) with 2 cases, tuberculosis in 7 localities with 9 cases, typhoid fever in 7 localities with 10 cases.

NEW JERSEY.—Month ended December 10, 1911. Population, 2,537,167. Total number of deaths from all causes 2,791, including diphtheria 51, measles 1, scarlet fever 1, tuberculosis 318, typhoid fever 34.

PENNSYLVANIA.—Mortality. Reports from the State department of health show as follows: Month of August, 1911. Total number of deaths reported 9,388, including typhoid fever 170, scarlet fever 28, diphtheria 73, measles 19, whooping cough 92, influenza 15, malaria 1, tuberculosis of the lungs 682, tuberculosis of other organs 136, cancer 444, diabetes 60, meningitis 52, acute anterior poliomyelitis 10, pneumonia 345, diarrhea and enteritis (under 2 years) 1,814, diarrhea and enteritis (over 2 years) 179, Bright's disease 469, early infancy 736, suicide 85, accidents in mines 89, railway injuries 96, other forms of violence 477, all other diseases 3,316.

Month of September, 1911. Total number of deaths 8,666, including typhoid fever 201, scarlet fever 26, diphtheria 147, measles 17, whooping cough 57, influenza 12, malaria 5, tuberculosis of the lungs 607, tuberculosis of other organs 128, cancer 439, diabetes 75, pellagra 1, meningitis 39, acute anterior poliomyelitis 9, pneumonia 437, diarrhea and enteritis (under 2 years) 1,266, diarrhea and enteritis (over 2 years) 129, Bright's disease 442, early infancy 681, suicide 85, accidents in mines 96, railway injuries 114, other forms of violence 382, all other diseases 3,271.